

Introducing

METAL-FAB

SureLock™

B-Vent Locking System




**Patent
Pending**

**Smart.
Secure.
Safer.**

The most user-friendly locking system you can install... and doesn't obsolete your current B-Vent inventory.

It's WHAT YOU WANT! We listened to our customers and took our time to engineer a vent locking system long overdue in the market. The result is a unique combination of security and ease of installation...it's what you've been asking for.



It's SMART: Exclusive lock design makes installations fast and foolproof. So good it's patent pending.

It's SECURE: Simply connect the pipe ends, twist, and push the SureLock™ tab in. No sheet metal screws required.

It's SAFER: Locked SureLock™ won't twist apart until you take it apart, and can be disassembled by merely bending the tab out, untwisting and pulling the pipe apart, without damaging the pipe.

It's CONVENIENT: Standard on popular 3"-6" diameter pipe, and also "twist-locks" into regular Metal-Fab B-Vent for hassle-free installations. (Note: SureLock™ lock does not engage with regular Metal-Fab B-Vent.)

Patent Pending




We found the secret to an easier, safer and more secure vent locking system.



Line up the pipe ends.



Push the ends of the pipe together.



Twist to engage twist lock.



Depress the SureLock™ tab to secure pipe sections.



To unlock, simply bend out the tab.



Untwist and pull pipe apart.

SureLock™

Important Investigative Notes:



1. The design of the SureLock™ locking system is unique. The male end of the pipe features a square dimple, positioned in the exact location to match the tab that is located on the female end of the pipe. When the pipe is joined and twisted until it stops, the SureLock™ tab can be pushed into the square dimple, therefore creating a positive lock that cannot be twisted apart. So unique that a patent is pending.
2. The SureLock™ locking system will be a running production change in 3"-6" diameter pipe sections.
3. Your current inventory is not obsolete. The SureLock™ pipe connects with regular Metal-Fab B-Vent and "twist locks" just as before.
4. As with regular Metal-Fab B-Vent, pipe with the new SureLock™ locking system will interchange and fit with other brands. And you can still use Metal-Fab B-Vent in a retrofit job.
5. Part numbers for new Metal-Fab SureLock™ pipe do not change.
6. To assist you in depleting your inventory of regular B-Vent, cartons containing Metal-Fab B-Vent with the SureLock™ locking system are identified with a stamp "Now With" SureLock™.



One more important SureLock™ clue:

7. SureLock™ will become standard on Metal-Fab B-Vent caps and elbows in 3"-6" diameters as a running change by early 2002. Watch for them!



P.O. BOX 1138 • WICHITA, KANSAS 67201
(316) 943-2351 • FAX (316) 943-2717
e-mail: info@mtffab.com • www.mtffab.com

800-835-2830